SUBJECT INDEX

A

Abacomorphus, 24
Abbella subflava, 353
Ablattaria laevigata, 28
Ablerus, 60
Acanthomyops claviger, 393
Acaricide resistance, 361-80
Accessory glands, 395
Aceratogallia calcaris, 352
Acetylcholinesterase, 153
Acilius sulcatus, 397
Acraea, 402
Action potential, 5
Action thresholds for entomopathogens, 242-43
Activity cycles
  of fruit flies, 120-21
  of scorpions, 286-89
Activity patterns
  of aeolian fauna, 165
  of biting flies, 298
  of nival arthropods, 174-75
Acyrthosiphum pisum, 52, 56-57, 146
Adalia, 35
Adelium, 36
Adelphoparasitism, 60-61
Adipokinetic hormone, 6
ADP, 464-65, 468, 474
Aedeomyia squamipennis, 490
Aedes, 450, 455
  aegyptii, 8, 157, 299, 439-46, 449, 457-58, 468-69, 474, 481-85, 492-95, 497
  africanus, 481
  albopictus, 482, 485, 492, 494
  atropalpus, 490
  campestris, 440, 445-49
  detritus, 440, 445, 448
  dorsalis, 440, 445-46, 449, 454
  furcifer, 490
  hendersoni, 486-87
  lineatopennis, 489
  simpsoni, 481
  sollicitans, 449
  taeniorhynchus, 299, 440, 444-47, 449, 451, 453
  taylori, 490
  togoi, 440, 444-45, 448
  triseriatus, 299, 474, 484-85, 487, 489, 491-94
  vexans, 300
Aeolian faunas, 163-79
Aggregation pheromones, 391, 394, 396-97
Aggregations
  and entomopathogens, 241
  and fruit flies, 127
  and population dynamics, 332-33
Agrotis ipsilon, 344
Alarm pheromones, 27, 383, 393
Aldicarb, 351, 353, 522
Aldrin, 151
Aleochara curtula , 29
Algon grandicollis, 30
Alianta, 29
Alkaloids and chemical defenses, 34-36
Allergens and saliva, 463
Allomones, 17-48, 381, 396, 397-400
Alloxysta, 50, 52-53, 55-57, 59, 61
  ancylocera, 55
  quateri, 59
  victrix, 53-54, 56, 58-59
Alphaviruses, 488, 490
Alpine aeolian systems, 163-79
Altitudinal zonation, 164
Amathes c-nigrum, 344
Amarygmus tristis, 37
Amblyomma, 472
  americanum, 400
  maculatum, 400
Amino acids and osmoregulation, 452-53
AMP, 468
Ampumixis, 264
Anal papillae, 441, 444, 453
Anaphylatoxins, 466-67
Anastrepha, 115
Anchytarsus, 254
Ancyronyx, 262, 264
Ancyrophorus, 31
Androctonus australis, 289
Aneristus, 60
Anisomorpha buprestoides, 393
Anommatelmis, 260
Anopheles, 368-69, 371, 444, 455, 494
  albimanus, 149-50, 154
  arabiensis, 148, 371
  calicifacies, 368, 371
  freeborni, 456, 469
  gambiae, 150, 300, 368, 371, 497
  salbaii, 469
  stephensi, 148, 371, 469
Anthonomus grandis, 231, 394
Antibiotics and chitin, 80-82
Antibodies and arboviruses, 494
Anticarsia gemmatalis, 228, 237-38, 242, 510, 519, 522, 524-26
Anticoagulants, 463, 470
Antigens and viruses, 482-84
Antimicrobics and chemical defenses, 25-26, 29
Ants
  and aeolian faunas, 169-70
  and beetles, 29, 35
  and chemical defenses, 33, 40-41
  and cultural entomology, 186, 188-89
  and exocrine compounds, 384-85, 390, 405
  and fruit flies, 128
Anuroctonus phaiodactylus, 281-82, 285-88
Aphelinoidea plutella 353
Aphelinus, 59
Aphidecta obliterata, 35
Aphidencyrtus, 52-55, 57, 61
  aphidivorus, 54-55, 59
Aphidius, 52, 56-57, 59
  smithi, 52, 56
Aphids
  and aeolian faunas, 167, 169, 171-72
  and alarm pheromone, 351, 354
  and hyperparasitoids, 50, 52-61
  and insecticide resistance, 148-49, 156
  and *Liriomyza*, 211
  and sugar beet, 342-51, 354
Aphis
  craccivora, 351
  fabae, 342, 344-47, 349, 351
  glycines, 511
  pomi, 59
Apis, 186
  mellifera, 383, 433
Aploderus, 31
Apolysis, 79
Aposematic
  coloration, 33, 41
  patterns, 264
Apsena, 20
  pubescens, 37
Apyrase and blood-feeding, 469-70, 474, 494
Arboviruses and mosquitoes, 479-505
Archanara geminipuncta, 325
Argoporis, 20, 37
Argyrotaenia

citrana, 386
velutinana, 386-87
Armyworms, 343-44
Aromia moschata, 38
Arphia pseudonietana, 5
Art and insects, 185-87
Arthropod fallout, 167-72
Artificial feeding and arboviruses, 488
Artificial intelligence, 428, 433
Artystona, 37
Asaphes, 52-56, 59, 61
californicus, 53, 56
lucens, 53-54
Asemobius, 32
Asphondylia, 511
Atholus, 27
ATP, 465-66, 468, 474
Augmentation of entomopathogens, 226
Austrelmis, 260, 264
consors, 260
Austrolimnius, 261, 267
Autogeny, 484, 493
Autoparasitism, 61
Azotus, 60

B

Bacillus
popilliae, 226, 231, 236
sphaericus, 231
thuringiensis, 226, 231, 238-39
Bacteria
and fruit flies, 126, 128, 131
and IPM, 231-32
Bacterial symbiotes of fruit flies, 118-19
Bactrocera, 118
Baculoviruses, 227-28, 236, 241, 244
Baits
and entomopathogens, 235-36
and fruit flies, 116, 126
Bark beetles
and aeolian faunas, 172
and exocrine compounds, 393-94
and nematodes, 232
Beauveria bassiana, 226, 229-30, 527
Bedbugs and cultural entomology, 190
Bees
and cultural entomology, 184-91
and exocrine compounds, 405
Beet
leafhopper, 344, 351-52
mosaic virus, 345
yellows virus, 345
Beetles and chemical defenses, 17-48
Bembidion, 166, 175
Bemisia tabaci, 517
Benomyl, 522
Benzimidazoles and chitin, 84
Benzoylphenyl ureas, 75, 79, 85-87
Binodoxys, 59
Biogeography
of Mexican entomofauna, 95-114
of riffle beetles, 266-67
Biological control
and hyperparasitism, 60-63
of soybean insects, 509
Biology
of Dryopidae, 257
of Elmidae, 254-56
of *Liriomyza*, 201-24
of Lutrochidae, 257
of Psephenidae, 257-58
Biomedical research, 1-16
Biosynthesis
of acetogenins, 385-91
of alkaloids, 402-4
of carboxylic acids, 383-85
of chemical defenses, 21-22
of exocrine compounds, 381-413
of hydrocarbons, 382
of peptides, 405-7
of pheromones, 382, 385-90, 393, 397
of quinones, 391-93
of sterols, 397
of terpenes, 393-97
Biotypes of aphids, 345, 355
Biting flies, 297-316
Black flies and vision, 301-3
Black widow spiders, 290
Blaps, 38
Blapstinus, 344
Blattella germanica, 368
Bledius, 31
Blister beetles and chemical defenses, 35
Blood-feeding
and osmoregulation, 456-59
and saliva, 463-78
Blow flies, 364, 369-73
Bolitochara, 29
Bombadier beetles, 23, 392
Bombykol, 388
Bombyx mori, 8, 10, 84-85, 388, 390
Booklungs, 287
Boophilus microplus, 371, 472
Brachinus, 392
Brackish-water mosquito larvae, 450-54
Brain, 9-12, 118
Brevicoryne brassicae, 55
Brood pouch, 9
Bruchids, 326
Bryothinusa, 29
Bumble bees and cultural entomology, 184
Bunyaviruses, 488-90, 495
Buprofezin and chitin, 84
Buthotus minax, 277
Buthus
hottentotta, 288
occitanus, 277
Butterflies and cultural entomology, 186-87, 189, 191
Byrsotria fumigata, 5

C

Callantra, 115, 117
Calliphora erythrocephala, 80, 82
Callistenus, 24
Calosoma, 24
Calpodes ethlius, 74, 79
Cambala annulata, 393
Campaliia, 24
Camponotus, 170, 384
Cannibalism, 265
in scorpions, 283
Cantharidin, 35, 394-96
Captan, 83-84
Carabids
and aeolian faunas, 166-67, 169, 173-75
and chemical defenses, 23-25
and population dynamics, 330
Carabus
taedatus, 383
yaconinus, 24
Carbamates, 522
resistance to, 149, 151
Carbaryl resistance, 365, 371
Carbon dioxide and biting flies, 302-3, 305, 309
Cardenolides, 41-42
Cardiac glycosides, 39
Carrion beetles and chemical defenses, 27
Cell cultures and viruses, 482
Centipedes and exocrine compounds, 400
Centruroides
exilicauda, 282, 284, 286
gracilis, 277-78, 286
insulanus, 279, 281
sculpturatus, 278, 281, 288
thorelli, 284
vittatus, 279, 281
Ceratitis, 115
capitata, 133
Ceromae, 117
Cerotoma trifurcata, 510

Charips
ancylocera, 55
victrix, 56
Chauliognathus pucbellus, 34
Chemical defenses of beetles, 17-48, 264
Chemosystematics, 17-48
Chikungunya, 482
Chilo suppressalis, 82-83, 390
Chironomids and aeolian faunas, 165-66, 170
Chitin
biochemistry, 71-93
polymerization, 72-75, 79-80, 82, 84, 86
synthesis, 71-76, 78
synthetase, 74-76
Chitinases, 72
Chlaenius, 25
Chlorpyrifos resistance, 371-72
Chlosyne harrisii, 323
Cholesterol, 397
Cholinesterases, 149
Choristoneura, 169, 171, 330
fumiferana, 388-89
Chromaphis juglandicola, 59
Chrysalids and cultural entomology, 189
Chrysochus cobaltinus, 41
Chrysolina brunsvicensis, 41
Chrysomela, 40
tremulae, 399
Chrysomelids and aeolian faunas, 170
Chrysopeplus, 38
Chrysops
atlanticus, 304
fuliginosus, 304
Cicadas
and cultural entomology, 189, 191
and fungal disease, 329
Cicadellids and aeolian faunas, 171
Circadian rhythms
in biting flies, 298-99
in fruit flies, 120-21
in scorpions, 288-89
Circadian systems, 11-12
Circulifer
opacipennis, 351
tenellus, 344, 351-52
Cladistics, 18-22
Clotting and saliva, 466
Coadaptation and resistance, 372-74
Coagulation and saliva, 464-66
Coccinella
septempunctata, 403-4
undecimpunctata, 35
Coccinellids and aeolian faunas, 170-71
Coccophagoides, 60
similis, 61
utilis, 61
Coccophagus, 60-61
Cochineal, 187
Cockroaches and cultural entomology, 187, 190
Codling moth, 326
Cold-hardiness, 172
Coleomegila maculata, 147
Collembola and aeolian faunas, 166-67
Colorado potato beetle, 361
Color sensitivity, 304, 306-7
Colymbetes fuscus, 27
Competition
and fruit flies, 132-33
and *Liriomyza*, 211
Complement-fixation test, 482-84
Computers and decision-making, 415-37
Conophthorus, 326
Control
of *Liriomyza*, 216
of soybean pests, 218-27
Copelatus, 26
Coprophilus, 30-31
Coremata, 404
Corpus allatum, 4-6, 8, 10
Corpus cardiacum, 3-4, 6, 10-11
Coruna, 52-53
Corydalus cornutus, 263
Cosmobaris americana, 344
Cost/benefit analysis, 421
Cotesia marginiventris, 522
Courtship by scorpions, 278, 288
Creatonotus, 404
Cremastocheilus, 32
Creophilus, 20, 30
Crepitation mechanisms, 23
Crickets and cultural entomology, 184, 190
Cross-resistance, 366
Cryptolestes ferrugineus, 391, 396-97
Crystallization of chitin, 76-78
Culex, 450, 455
annulirostris, 494
nigripalpus, 300, 494
pipiens, 148-49, 439-41, 444, 485, 490, 492-93
quinquefasciatus, 153, 300, 371-72, 488, 490, 494
tarsalis, 440, 452-53, 484, 486, 489-90, 495-96
taeniopus, 486
theileri, 487
tritaeniorhynchus, 484, 493
univittatus, 487
Culicoides, 482
Culiseta, 455
melanura, 488, 490, 300
inornata, 440, 450-53
Cultural
control of soybean pests, 520-21
entomology, 181-99
Curly top disease of sugar beet, 351
Cuticle
and chitin, 71-93
and osmoregulation, 439, 441-43, 445, 451, 454-55
penetration, 31
Cutworms, 343
Cyanogenic
compounds, 23, 40, 400-2
glands, 399
Cybister, 26
Cyclic AMP, 457-58
Cyclodiene resistance, 155
Cylloepus, 264
Cytoplasmic polyhedrosis viruses, 228

D

Dacine fruit flies, 115-44
Dacnusa sibirica, 217
Dacus
aglaia, 118
amphoratus, 127
aquilonus, 125
binotatus, 127
brevis, 127
butianus, 127
cacuminatus, 118-19, 125, 131-35
ciliatus, 122, 127, 132
cucumis, 118-19, 125
cucurbitae, 115-19, 122-27, 129, 133
diversus, 127
dorsalis, 115-16, 118, 122-27, 129-32, 133
expandens, 123
frontalis, 127
hageni, 127
halfordiae, 118, 125, 132
jarvisi, 119-20, 123, 133
kraussi, 118
latifrons, 122, 125, 133-34
musae, 118-19, 132, 134
neohumeralis, 116, 118-19, 123, 125
newmani, 131
occipitalis, 125
oleae, 115-24, 126-35
opiliae, 117, 125, 127, 131-35

scutellaris, 127
serratus, 127
tenuifascia, 123, 131
tryoni, 115-27, 129-31
tsuneonsis, 123
umbeluzinus, 127
vertebratus, 125, 127
visendus, 118
vivittatus, 127
zonatus, 115-16, 125-27, 130, 132
Danaus
chrysippus, 403-4
gilippus, 403
Dasychira abietis, 320
DDT resistance, 150, 154, 371
Decision-making in entomology, 415-37, 528
Decision support systems, 418-19, 426-28
Decies texanus, 511
Deer flies and vision, 303-6
Defenses of beetles, 17-48
Defensive
glands, 399, 401
substances, 17-48
Defoliation and population dynamics, 325-26
Deladenus siricidicola, 232
Deleaster, 20, 30-31
Delia
antiqua, 241
platura, 521
Demography of fruit flies, 133-34
Dendrocerus, 50, 52-55, 59, 61
carpenteri, 54
frontalis, 428, 433
Dendrolasin, 396
Dendrolimus superans, 322
Dengue, 482, 496-97
Density dependence and entomopathogens, 239-41
Density-dependent competition, 370
Dermacentor, 472
Detection of insecticide resistance, 145-62
Development rates of fruit flies, 129-31
Diabrotica, 41, 344
Diaeretiella rapae, 55
Diamesa, 165
Diamphidia, 42
Diapause, 11
and arboviruses, 484, 496
in fruit flies, 117, 134
of *Liriomyza*, 212
Diapause hormone, 10
Diaulota, 29
Diazinon resistance, 364, 369, 371-73
Didymocentrus comondae, 286
Dieldrin resistance, 368-69, 371
Diflubenzuron, 85-87
Dimethoate, 148
Dimilin, 85
Dineutus, 26
Dinoponera, 188
Dioryctria, 326
Diplocentrus
bigbendensis, 281
spitzeri, 281, 285, 288
Diploptera punctata, 5, 391
Diprion pini, 328
Diseases and population dynamics, 329
Dispersal
and insecticide resistance, 37-75
of entomopathogens, 233-34
of fruit flies, 126-27, 135
of *Liriomyza*, 213
of mosquitoes, 299
of mountain entomofauna, 103
of riffle beetles, 255
of scorpions, 277, 286
Distribution of entomopathogens, 235
Diuresis, 456-58
DNA probes, 155, 157, 483
Dragonflies and cultural entomology, 191
Drifting by riffle beetles, 255
Drosophila, 8, 148, 155-57
melanogaster, 73, 148, 157, 366, 390, 492
virilis, 156
Dryops, 266-67
Dubiraphia, 260, 262-64
brunnescens, 260
Dufour's gland, 383, 390
Dung beetles and cultural entomology, 186, 191
Dysaphis plantaginea, 59
Dyschirius, 20, 24
wilsoni, 24
Dytiscus, 26

E

Ecdysis, 11
Ecdysone, 8, 382
Ecdysterone, 78
Eclosion hormone, 11
Ecological genetics, 361-80
Ecology
of riffle beetles, 261-63
of soybean arthropods, 509-18
Economic
injury levels
and entomopathogens, 233, 242
and soybean pests, 518
thresholds, 517-18, 524
Ecosystems and population dynamics, 320-24
Ectopria, 259, 262
thoracica, 260
Edema, 466, 470
Egg diapause, 10
Eggs of *Liriomyza*, 206
Elasmopalpus lignosellus, 525
Eleodes, 38
longicollis, 392
obsoleta, 37
ELISA tests, 149-51, 155, 157, 483
Elmis, 261
condimentarius, 264
Elmoparnus, 253, 257, 267
Emergence of *Liriomyza*, 202
Empoasca, 342, 344, 347
abrupta, 352
arida, 352
fabae, 352, 520
mexara, 352
solana, 352
Encapsulation, 62, 64
Encarsia, 60
Encephalitis, 482-83, 496
Encephalomyelitis, 482, 495
Endocrine control, 1-16
Endrin resistance, 368
Enhydrus, 25
Entomopathogens
in IPM, 225-51
of soybean pests, 514-16
Entomophthora, 522
muscae, 229, 241
sphaerosperma, 229
Environment
and entomopathogens, 243-44
and population dynamics, 319-21
Enzyme immunoassay, 483
Enzymes and insecticide resistance, 147-56
Ephedrus, 59
Epicauta, 344
Epidinocarsis lopezi, 62
Epilachna varivestis, 80
Epinotia aporema, 525
Epizootics, 225-51, 516
Equine encephalomyelitis, 482
Eradication of fruit flies, 116
Erynia, 226, 229
Erythema, 466, 470
Estigmene acrea, 344
Ethnoentomology, 191
Eubria, 259
Eubrianax, 258-59, 267
Euceraphis, 169
Euophrys omnisuperstes, 165
Euplectrus puttleri, 519

Euplognatha ovata, 170
Euryurus maculatus, 399
Euscorpius flavicaudis, 280
Eusphalerum, 28
Euxanthellus, 60
Euxesta notata, 146
Evolution of resistance, 367
Excretion
  and blood-feeding, 440
  and saliva, 463
Exocrine compounds, 381-413
Expert systems, 419, 422-23, 428-35, 528

F

Fall webworm, 328
Farnesene, 351
Fat body, 8, 11
Fecundity
  of *Liriomyza*, 204
  of scorpions, 280-81
Feeding
  biology of scorpions, 281-83
  by fruitflies, 121, 126
  punctures of *Liriomyza*, 204
Feltia subterranea, 344
Fenitrothion resistance, 154
Fenvalerate, 149, 155
Fibrillogenesis of chitin, 76-78
Film and insects, 184-85, 188
Finlaya, 448
Fiorinia externa, 326
Fireflies,
  and toxic steroids, 34
  and cultural entomology, 190
Fitness modifiers, 372-73
Flaviviruses, 488, 490
Fleas and cultural entomology, 190-91
Flies and cultural entomology, 192
Flight
  ability, 484
  activity, 299-300
  of aphids, 349
  of biting flies, 299
  of fruit flies, 124
  of riffle beetles, 255-57
Folklore and insects, 188-90
Food webs and models, 61-64
Foraging by aeolian faunas, 174
Formica, 170, 384
  schaufussi, 390
Formic acid, 24, 384-85
Forest tent caterpillar, 320
Fossil riffle beetles, 266
Freshwater mosquito larvae, 441-44
Fruit flies, 115-44
Fulgora, 190
Fungi
  and chitin, 71, 78, 82
  and entomopathogens, 236
  and IPM, 226, 228-30, 236, 238
  and parasites, 245
  and riffle beetles, 266
Fungicides and chemical defenses, 25-26

G

GABA receptor, 155
Gabonia, 41
Galleria mellonella, 390
Gastrolina depressa, 40
Gastrophysa, 41
Gene
  cloning, 154
  duplications, 374
  flow, 366-67
  regulation, 155-56
Genes for resistance, 154-57
Genetic
  drift, 499, 485
  engineering, 239, 243
  markers, 375
  variability, 330-31
Genetics of resistance, 361-80
Geocoris punctipes, 523
Geodessus, 26
Gestation in scorpions, 279
Gills of riffle beetles, 261
Gilpinia
  hercyniae, 226, 243
  verticalis, 331
Glands and chemical defenses, 17-19, 23-42
Glomeris marginata, 402-3
Glossina
  brevipalpis, 308
  morsitans, 307-8, 382
  pallidipes, 308
Glycoproteins, 72
Gonielmis, 264
Gonioctena viminalis, 40
Grandlure, 394
Granulosis viruses, 227-28, 239, 329
Grasshoppers
  and cultural entomology, 184, 186
  and fungi, 229
Gregarines and riffle beetles, 266
Grylloblatta, 173
Grylloblattids and aeolian faunas, 166-67, 173-74
Gymnodacus, 117
Gypsy moth, 325-26, 329, 331, 333
Gyrinus, 26
Gyrophaena, 29

H

Hadogenes 283
Hadrurus
  arizonensis, 279, 281, 283, 286-87
  hirsutus, 283
  spadix, 283
Haemagogus, 299
Haematobia irritans, 307
Haliplus, 25
Halobates, 164
Halomaeusa, 29
Harpalus capito, 24
Harpaphe haydeniana, 400-1
Helichus, 253, 255, 257, 259, 263-68
  fastigiatus, 255
  lithophilus, 257
  productus, 257
  suturalis, 257
Heliconius, 402
Heliothis, 226, 241, 243, 510-11, 514
  armigera, 147
  virescens, 146-47, 151, 373, 389-90
  zea, 241, 389, 515, 518, 520, 522, 524
Hemagglutination, 463, 482-84
Hematomas, 468, 470, 473
Hematophagy, 297-316
Hemlock scale, 328
Hemolymph
  and chemical defenses, 17
  and hormones, 4, 11
  and osmoregulation, 439-47, 449, 451-53, 456-58
Hemostasis, 464-66, 468, 471, 473-75
Henosepilachna
  pustulosa, 323
  vigintioctopunctata, 323
Herbicides, 522
Heterelmis, 262-63
Heterlimnius, 264
Heterometrus fulvipes, 289
Heterosis, 371
Hexacylloepus, 262
Hibernation by mosquitoes, 300-1
Hieroglyphs, 184
Hintonelmis, 262
Hippodamia, 35
  convergens, 147, 171
Hirsutella thompsonii, 226, 229
Hispaniolara, 261
Hodegia apatela, 167
Homopterus arrowi, 23

Honey, 187, 190
Honey bees and cultural entomology, 184-87
Honeydew
  and biting flies, 299
  and fruit flies, 126
Horizontal transmission
  of entomopathogens, 234
  by mosquitoes, 485-89
Hormonal signals, 2
Hormones
  and chitin, 78-79
  and osmoregulation, 458
Horn flies, 307
Hornia, 36
Horse flies and vision
Host
  location by biting flies, 300, 305
  races in *Liriomyza*, 214
  range of entomopathogens, 236
  specificity, 55-59
Host preferences
  of fruit flies, 122
  of mosquitoes, 484
Hot springs and riffle beetles, 260-61
House flies
  and chitin, 73
  and insecticide resistance, 148-51, 371-72
Hulstia undulatella, 344
Hyalophora cecropia, 78, 82-83
Hybomitra schineri, 304
Hydaticus, 26
Hydora, 267
Hydrovatus, 26
Hygrobia tarda, 26
Hylemya platura, 344
Hypera postica, 226, 229
Hyperparasitism, 49-70

I

Ilybius, 20, 26-27
  fenestratus, 27
Imaginal disks, 73-74, 76, 454
Immunity
  to entomopathogens, 238-39
  and saliva, 466
Immunofluorescent assay, 483
Incubation period for arboviruses, 488
Infection by arboviruses, 485-89, 91-92
Inflammation and saliva, 466
Ingestion by scorpions, 282
Inheritance of resistance, 362-66
Inhibition of chitin formation, 79-87
Insecticide resistance, 145-62, 361-80
Insecticides
  and *Liriomyza*, 216-18
  and soybean pests, 522
Insect symbols, 186
Integrated pest management
  and decision making, 415, 419-23, 428, 433-35
  and entomopathogens, 225-51
  and soybeans, 509, 519-28
  and sugar beet, 343, 347-49
  and resistance, 362
International centers, 508
Introduction of entomopathogens, 225
Ion transport, 442-43, 446-47, 449, 451
Ipsenol, 394
Ips paraconfusus, 394-95
Ismarus, 50
Isometrus maculatus, 277
Ixodes
  dammini, 471-73
  ricinus, 472

J

Juglone, 40
Juvenile hormone, 4, 8-9, 11
  esterase, 156

K

Katydids and cultural entomology, 184

L

Labidomera clivicollis, 41-42
Laccophilus, 26
Laccornis, 26
Lac insects, 186
Lacon murinus, 33
Lady beetles and chemical defenses, 334
Lampyris, 34
Lara avara, 256
Larch bud moth, 329, 333
Larch casebearer, 328
Lasius fuliginosus, 383, 396
Laspeyresia, 326
  pomonella, 228
Leafhoppers
  and insecticide resistance, 148
  and sugar beet, 342-44, 347, 351-52
Leafminers, 201-24
Lebistina, 42
Leguminivora glycinivorella, 511, 519
Leiopilio glaber, 173
Lekking by fruitflies, 123
Lepthyphantes tenuis, 170
Leptinotarsa decemlineata, 7, 42, 229, 361
Leptoglossus phyllopus, 390, 399
Leucophaea maderae, 3, 5-10
Lice and cultural entomology, 190
Life cycle of fruit flies, 116
Life history of scorpions, 276-78
Life tables
  and fruit flies, 133
  and scorpions, 276
  and decision making, 418
Light
  intensity and activity, 299
  traps
    and arboviruses, 495-96
    and soybean pests, 526
Ligurotettix coquilletti, 320-21
Limonius, 344
Lindane, 155, 368-69, 374
Liocheles australasiae, 278
Liparocephalus, 29
Liriomyza, 344
  brassicae, 206, 213-14
  bryoni, 216
  congesta, 206-9
  huidobrensis, 203, 206, 217-18
  pictella, 215
  sativae, 203, 207-10, 213-16
  trifolii, 202-3, 205-13, 215-17
  urophorina, 215
Literature and insects, 182-84
Locusta migratoria, 10
Locusts
  and chitin biochemistry, 73
  and cultural entomology, 188, 191
Lomechusa, 29
Lounsburyia, 60
Loxostege sticticalis, 344
Lucilia, 22
  cuprina, 74, 80-81, 83, 86, 364, 369
Lures for fruit flies, 116, 125
Lutrochus, 253-54, 257, 261-62, 266-68
  arizonicus, 257
  laticeps, 257
  luteus, 257
Lutzomyia longipalpis, 470
Lygus
  elisus, 344
  hesperus, 146, 344
Lymantria, 2
  dispar, 226, 391
Lytoxysta, 50, 52-53
Lytta, 344
  vesicatoria, 394

M

Machilanus swani, 165
Machilids and aeolian faunas, 165
Macrelmis, 264
Macronychus, 255, 262, 264-65, 267-68
  glabratus, 255
  quadrituberculatus, 265
Macrosiphum euphorbiae, 59, 346
Malacosoma disstria, 228, 330
Malaria, 154, 495-97
Malathion, 147-48, 153-54, 371-72
Malpighian tubules, 441-59
Mamestra
  brassicae, 76, 87
  configurata, 397-99
Management systems, 424-26
Mandibular glands, 38, 405
Manduca sexta, 11, 86
Manna, 187
Mantids and cultural entomology, 188, 190-91
Marietta, 60
Maruca testulalis, 525
Massospora cicadina, 329
Maternal care in scorpions, 280
Mating
  of black flies, 301
  of fruit flies, 121, 123-25, 130, 135
  of *Liriomyza*, 202-3
  of scorpions, 278, 288
  of stable flies, 306
  of tabanids, 303-4
Megacephala, 23
Megacormus gertschi, 279, 281
Melanism, 367
Melanoplus sanguinipes, 80
Melanotus, 344
Melitaea harrisii, 326
Melittin, 405-7
Metamorphosis
  and cultural entomolgy, 189
  and osmoregulation, 455
Metarhizium anisopliae, 229
Metaseiulus occidentalis, 365, 372
Metasystox, 350
Methyl eugenol, 125
Metribuzin, 522
Metriorrhynchus, 20, 33, 39
  rhipidus, 33, 39
Mexican
  bean beetle, 521-22, 524
  entomofauna, 95-114
Microbial control, 225-51
Microcylloepus, 255, 260, 265
  thermarum, 255
Microfibrils of chitin, 71-72, 76
Microfilariae, 495
Microglotta, 29
Microsporidia
  and arboviruses, 495
  and entomopathogens, 230, 236, 238, 244
  and IPM, 230, 238
  and population dynamics, 329
Migration and population dynamics, 323
Millipedes and exocrine compounds, 391, 393, 399-403
Mimicry, 17, 25, 33, 42
Mirids and aeolian faunas, 170
Mites
  and aeolian faunas, 167
  and chitin, 78, 80
  and insecticide resistance, 151
  and *Liriomyza*, 211
  and soybean, 524
  and sugar beet, 343
Mitochondria, 443, 446, 449, 455
Models
  for biomedical research, 1-16
  and decision-making, 418
  and entomopathogens, 232-37, 240, 242
  and hyperparasitism, 61-64
  and insecticide resistance, 367
  for soybean pests, 528
Molecular
  biology, 157
  genetics, 151, 155
  probes, 483
  techniques and resistance, 145-62
Molting hormone, 78-79
Monoclonal antibodies, 151, 154, 483
Monoctonus, 59
Monogenic resistance, 364-66
Montane insects of Mexico, 95-114
Moonlight and biting flies, 299
Morpho, 185
Mosquitoes
  and aeolian faunas, 170
  and arboviruses, 479-505
  and blood-feeding, 463, 467-69
  and Bt, 231, 238
  and fungi, 229
  and insecticide resistance, 147-49, 151, 154
  and IPM, 238
  and nematodes, 232
  and osmoregulation, 439-62
  and protozoa, 230
  and vision, 298-301
Mucopolysaccharides, 72
Musca domestica, 157, 371, 382
Muscalure, 382
Muscid visual ecology, 306-7
Music and insects, 184
Mycetomes, 119
Myrrha 35
Myzus persicae, 148, 344-47, 349, 351, 374

N

Nabis alternatus, 170
Nanobius, 32
Narceus
  annularis, 393
  gordanus, 393
Narpus, 263-64
Nasutitermes octopilis, 394, 396
Natural enemies
  and population dynamics, 327-29
  of soybean pests, 524, 528
Nebria
  paradisi, 174
  vandykei, 173
Necrodes, 20, 28
  surinamensis, 28
Nectar
  and biting flies, 299, 302-4, 310
  and fruit flies, 126
Nematicides and soybean pests, 522
Nematodes
  and arboviruses, 495
  and entomopathogens, 241
  and IPM, 232, 238
Neoaplectana carpocapsae, 226-27
Neodiprion sertifer, 331
Neogregarines
  and entomopathogens, 241
  and IPM, 230
Neuroendocrine
  research, 1-16
  systems, 118
Neuropeptides, 5
Neurosecretory neurons, 3
Nezara viridula, 383, 390, 510, 517
Nicotine, 155
Nikkomycins and chitin, 80-82
Nilaparvata lugens, 84
Nomuraea rileyi, 226, 229, 236, 244, 519, 522, 525
Nosema
  heliothidis, 241
  locustae, 226, 230, 236
  pyrausta, 231, 244
Notocelia roborana, 326
Nuclear polyhedrosis viruses, 226-28, 236-38, 241-42, 329, 516, 519
  and soybean pests, 526

Nucleic acid probes, 154-55
Nutrition of fruit flies, 128
Nysius
ericae, 170, 344
raphanus, 171-72
wekiuicola, 167

O

Ocelli of scorpions, 289
Ochlerotatus, 448
Odontota horni, 511
Odors and fruit flies, 117
Oeceoptoma, 28
Olfaction by fruit flies, 121-22
Oligota, 29
Oncopeltus fasciatus, 86
Ontholestes, 20, 30
Onychiurus, 344
Oocytes, 9
Oogonial infection, 492
Ootheca, 9
Opifex fuscus, 440, 450
Opisthophthalmus, 285
carinatus, 283
Opius ocphilus, 132
Optioservus, 261, 264
Orgyia pseudotsugata, 226, 228
Oreina, 41
Orientation of biting flies, 299, 302
Oryctes, 228-29, 241
rhinoceros, 228, 241
Oryzaephilus surinamensis, 371
Oscinella frit, 171
Osmeteria, 29, 383, 396
Osmoderma, 33
Osmoregulation in mosquitoes, 439-62
Ostrinia nubilalis, 229, 231
Oulimnius, 262, 265, 267
Ovarian maturation, 129
Ovaries of fruit flies, 118, 129
Ovary, 8-9
Oviposition
by fruit flies, 122-23, 127-28
by *Liriomyza*, 203-4, 212-13
by mosquitoes, 301
Oxidus gracilis, 399-400
Oxygen consumption of scorpions, 287, 289
Oxytelus, 20, 31-32
piceus, 32
sculpturatus, 32

P

Pacemakers, 11-12
Pachyneuron, 52-53, 56, 59-60
concolor, 60
Paederus, 20, 28
fuscipes, 385
Pagelmis, 260-61
Palamnaeus longimanus, 280
Paltothyreus tarsatus, 405
Pandinus
imperator, 288
pallidus, 283
Papilio
aegus, 383
helenus, 396
protenor, 396
Parabuthus villosus, 283
Paraoxon, 148-49, 151
Parasites
and *Liriomyza*, 216-17
and population dynamics, 328-29
of fruit flies, 131-33
of leafhoppers, 353
of riffle beetles, 265
Parasitoids, 49-70
Parathion, 147, 366, 522
Pardia tripunctata, 326
Pardosa mackenziana, 166
Paropsis atomaria, 40
Parthenogenesis in scorpions, 278
Parturition in scorpions, 279-80
Paruroctonus, 279-81
becki, 287
boreus, 276, 281, 284, 286-88
mesaensis, 276-88
utahensis, 287-88
Pathogens of fruit flies, 132
Pederin, 28, 385
Pediobius, 519
foveolatus, 518, 524
Pegomya, 344
Pelonomus, 266
Pemphigus populivenae, 344
Peptide hormones, 4
Peptidergic neurons, 5
Periplaneta americana, 7, 12
Peritrophic membrane, 71-72, 76, 79-80, 82, 85
Permethrin, 518
Persistence of entomopathogens, 236-37
Phaenoglyphis, 50, 52-53, 59
Phalangids and aeolian faunas, 166-67, 173-74
Phanocerus, 266
Phausis, 34
Phenacoccus manihoti, 61-62
Phenyl carbamates and chitin, 84-85
Pheromones
and chemical defenses, 29
and fruit flies, 117-18, 121, 123-25, 135
and traps, 146
and tsetse flies, 309
of aphids, 351
Phlebotomus papatasi, 469-70, 482
Phloeopara, 29
Phoracantha, 20, 38
onyma, 38-39
semipunctata, 39
synonyma, 39
Phorate, 351, 353, 522
Phorodon humili, 374
Phosphuga, 28
Photinus, 33-34
Photoperiod, 5-8, 10-12
and vectors, 484
Photuris, 34
Phratora vitellinae, 399
Phrenapates, 37
Phthorimaea operculella, 239
Phylogeny of Coleoptera, 19
Physcus, 60
Phytoalexins, 520
Phytosus, 29
Picrotoxinin, 368
Pieris
brassicae, 81
rapae, 228
Piezodorus guildinii, 517
Pirimicarb, 351
Plant resistance, 519-20, 523, 527-28
Plasmodium gallinaceum, 474
Plastron respiration, 260-61
Platambus, 20, 26-27
Platelets and saliva, 464-74
Plathypena scabra, 510
Platynota stultana, 344
Platynus dorsalis, 24
Platystethus, 31
Plodia interpunctella, 74, 76, 148
Plumbagin and chitin, 85
Poison glands, 384-85
Pollen
and biting flies, 304
and fruit flies, 126
Polygenic resistance, 364-65
Polymorphism and population dynamics, 332
Polyoxins and chitin, 80-82, 84
Popillia japonica, 226
Population
dynamics, 317-40
of ants, 325
of aphids, 325
of bark beetles, 323, 327
of grasshoppers, 320-21
of gypsy moths, 323, 325, 328
of lady beetles, 323
of leafminers, 325
of locusts, 323

of pine sawflies, 323
of psyllids, 323, 325
of sawflies, 324
of tent caterpillars, 324-25
ecology
of fruit flies, 129-35
genetics, 146, 362, 367
stability, 318-19
Potamodytes, 261
Potamophilops, 261
Predation by scorpions, 281-83
Predators and population dynamics, 327-28
Prococcophagus, 60
Progesterone, 397
Proline, 452-53
Promoresia, 255-56, 264
elegans, 255-56
Propylaea, 35
Prostaglandins, 463, 470-71
Prothoracic
defensive glands, 27, 36, 38
gland, 4, 11, 397
Protocerebrum, 4
Protolin, 7
Protoparnus, 267
Protozoa and IPM, 230-31
Proxenus mindara, 344
Psephenivorus, 265
Psephenoides, 259, 261, 268
Psephenus, 257-68
herricki, 257, 259
marlieri, 259
murvoshi, 261
Pseudoplusia includens, 237
Pseudopolydesmus erasus, 399
Pseudopsis, 32
Psilopa leucostoma, 344
Psorophora columbiae, 300
Psyllids and aeolian faunas, 167, 171
Pteromalus macronychivorus, 265
Pterostichus lucublandus, 25
Pullus, 35
Pupation hormone, 2-3
Pygidial glands, 23-25, 33
Pyrausta nubilalis, 244
Pyrethroids, 146-47, 351
Pyrochroa, 36
Pyrrhalta luteola, 41

Q

Quedius, 30
Queen bees, 405
Quinones and chemical defenses, 19, 21, 23-25, 29, 31, 37

R

Radioimmunoassay, 483
Receptors of scorpions, 281
Rectal papillae, 455
Reflex bleeding, 17, 34-35, 39, 41
Resistance
management, 369
of mites, 361, 365, 372
of mosquitoes, 368-71, 373
of ticks, 371
to aphids, 349
to entomopathogens, 238-39
to insecticides, 145-62, 216, 361-80
Respiration of riffle beetles, 260-61
Rhagoletis, 115, 120
Rhinocricus holomelanus, 393
Rhizobius, 35
Rhodnius prolixus, 467-68, 474
Rhopalosiphum insertum, 59
Rhythms in fruit flies, 128
Riffle beetles, 253-73
Riolus, 260
Ripicephalus sanguineus, 470
Rivellia quadrifasciata, 511
RNA
and arboviruses, 495
probes, 483
Romanomermis culicivorax, 226
Rotenone, 361
Rove beetles and chemical defenses, 28-30

S

Sand flies and blood-feeding, 469-70
Saissetia oleae, 326
Salicin, 40
Saline-water mosquito larvae, 444-50
Saliva
and arboviruses, 486
and blood-feeding, 463-78
Salivary
antigens, 466, 472
glands
and blood-feeding, 463, 467, 369, 472, 475
and arboviruses, 485-89
Scarabs and cultural entomology, 182, 186, 188, 191
Schistocerca gregaria, 73
Schizotus, 36
Scolytids and aeolian faunas, 170
Scorpions
and bionomics, 275-95
and cultural entomology, 185, 188-91
Scotogramma trifolii, 343-44
Scutigerella immaculata, 344
Secaptin, 407
Seleniphera lunigera, 320
Sensilla
of fruit flies, 117
of scorpions, 281
Sequential sampling, 216
Sequestration, 35, 39-41
Serology and arboviruses, 482-83
Serotonin, 465-66
Serpentine leafminer, 201-24
Serradigitus, 279, 281
deserticola, 284
Sex
pheromones, 123-24
ratio, 493
Shellac, 187
Sigma virus, 492
Silk
and cultural entomology, 187
moths and chitin, 78, 82-83
Silpha, 20, 27-28
americana, 28
Silphids and aeolian faunas, 166
Simulation modeling, 418-23, 427, 431-35, 488, 528
Simuliidae, 301-3
Simulium euryadminiculum, 303
Sirex noctilio, 232
Sitophilus
oryzae, 374-75
zeamais, 375
Snowfield arthropods, 163-79
Soybean arthropods, 507-38
Spastonyx, 36
Speciation, 102-3
Species complexes, 481
Spectral sensitivity, 121
Spermatophore, 278
Sperm transfer, 278
Spiders
and aeolian faunas, 165-69, 174-75
and cutural entomology, 183, 189-91
Spiroplasma tenella, 352
Spissistilus festinus, 516-17
Spodoptera
exigua, 343-44
praefica, 344
Spruce budworm, 169, 171, 320, 323, 328, 330, 332
Spruce sawfly, 328
Stable flies, 306-7
Staphylinids and aeolian faunas, 166-67, 169, 174
Staphylinus, 30
Stegomyia, 299
Steinernema feltiae, 226-27, 238

Stenechus subsignatus, 511
Stenelmis, 256, 260, 263, 265, 267
  crenata, 256
  quadrimaculata, 260
Stenhelmoides, 260-61
Stenocentrus ostricilla, 38
Stenopelmatus, 290
Stenus comma, 29
Steroids and chemical defenses, 27, 34, 41
Stomoxys calcitrans, 74-75, 82-83, 86, 306
Stresses and population dynamics, 321, 324
Stretch receptors, 443, 456
Stridulation, 38
  by dacines, 117, 123-24
  by *Liriomyza*, 203
Suction traps, 300
Sugar beet pests, 341-60
Sumitrosis rosea, 511
Supercooling, 172
Superstitionia donensis, 281
Swarming
  of biting flies, 298-99, 301-2, 309
  of riffle beetles, 256
Syllites grammicus, 38
Symbiotic bacteria, 118-19
Synthesis of chitin, 71-93
Syntomium, 32
Syntropis, 279
Syrphids and aeolian faunas, 169-70
Syrphus torvus, 169
Systematics of scorpions, 276

T

Tabanidae, 303-6
Tabanus
  bromius, 304
  nigrovittatus, 304-5
Telenomus chloropus, 523
Temephos resistance, 371
Tenebrio, 37
Tent caterpillar, 328, 331-32
Tergal glands, 29-32
Termites
  and beetles, 29
  and exocrine compounds, 394, 396
Tetanops myopaeformis, 344
Tetranychus, 344
  urticae, 80, 372
Tetraopes
  basilis, 39
  femoratus, 39
  oregonensis, 39
  tetrophthalmus, 39
Tetrastichus, 52-53
Thanatosis, 27, 33-34, 38
Thectura, 29
Theridion bimaculatum, 170
Therioaphis trifolii, 57
Thermal pools and riffle beetles, 260
Thermoregulation, 306
Thrombin, 465-66
Thyreocephalus, 30
Ticks
  and arboviruses, 482, 491
  and blood-feeding, 463, 467, 470-73
  and exocrine compounds, 400
Tiger beetles, 20
Tityus
  bahiensis, 277-78
  serrulatus, 278
  trivittatus, 277
Toxaphene, 522
Toxins and saliva, 463
Toxorhynchites, 299
Tracheal gills, 261
Transmission
  of arboviruses, 485-92, 494
  of beet viruses, 351
  of entomopathogens, 233-34
Transovarial transmission of arboviruses, 489, 491-92
Trap cropping, 521
Traps
  for biting flies, 302-4, 306, 308-9
  for fruit flies, 116
  for mosquitoes, 301
  for sugar beet pests, 349
  for riffle beetles, 255, 261
Trehalose, 72, 452-53
Triatoma infestans, 75
Triatomine bugs and blood-feeding, 467-68
Tribolium castaneum, 38, 74-76, 81-85, 148, 372, 391
Trichogramma dendrolinae, 527
Trichoplusia ni, 81-83, 149, 228, 387
Trichopria, 265
Trimerotropis pallidipennis, 320-21
Trioxys pallidus, 59
Trogoderma, 241
Trogophloeus, 31
Trypanosomes and blood-feeding, 474
Tsetse flies
  and blood-feeding, 470
  and vision, 307-9
Tussock moth, 328
Tyrophagus similis, 344

U

Udea
  profundalis, 344
  rubigalis, 344
Uloma tenebrionides, 37
Uranotaenia sapphirina, 300
Uric acid, 442
Urine and osmoregulation, 439, 441-43, 445-46, 448-49, 454-59
Uroctonus, 279-81, 285
  mordax, 276-78, 281-82, 284, 287-88
Urodacus, 289
  abruptus, 276-81, 285
  hoplurus 285
  yaschenkoi, 276-77, 285
Uroplata, 321
UV
  detection, 300, 302-3, 305, 307-8
  receptors, 299-300

V

Vaejovis, 279-81, 283, 286
  confusus, 283-84, 286-88
  gertschi, 276, 282-84, 287-88
  hirsuticauda, 287
  janssi, 284
  littoralis, 284, 288
  spinigerus, 279, 281, 283-84, 286-88
  wupatkiensis, 287
Vairimorpha necatrix, 226-27, 231
Vector
  behavior, 493
  competence, 480-85, 88, 95
  control, 495
  ecology, 493
Vectors of sugar beet viruses, 345-50
Vejovoidus, 281
  longiunguis, 285
Venereal transmission of arboviruses, 491
Venom
  peptides, 405
  of scorpions, 282
Vertical transmission, 234, 489-93
Verticillium lecanii, 226
Virulence of entomopathogens, 234-35
Viruses
  and IPM, 226-28
  and soybean pests, 519
  and sugar beet, 342-55
  identification of, 483
  transmission of, 355, 480

Vision and biting flies, 297-316
Visual ecology, 297-316
Vitellogenesis, 8, 126

W

Wasps and cultural entomology, 187
Water beetles and chemical defenses, 25-27
Wax, 186
Webworms, 344
Weeds and sugar beet, 342-43, 345-46, 349
Whiteflies and soybeans, 517
Wind-borne nutrients, 164
Wing dimorphism, 255
Winter moth, 327
Wyeomyia smithi, 484

X

Xantholinus, 20, 30
Xenelmis, 262

Y

Yellow fever virus, 481
Yolk deposition, 8-9

Z

Zaitzevia, 254-55, 260, 263
  thermae, 255
Zalobius, 32
Zonocerus, 61
Zophobas, 38
  rugipes, 392
Zygaena trifolii, 402
Zyras
  comes, 29
  humeralis, 29
  japonicus, 29